

Matrix

SECTION 1. IDENTIFICATION

Product Identifier	Matrix
Other Means of Identification	7856
Other Identification	UN3262
Recommended Use	Laundry Detergent.
Restrictions on Use	No information available.
Manufacturer/Supplier Identifier	Sunburst Chemicals, Inc., 220 W. 86th St., Bloomington, MN, 55420, 952-884-3144
Emergency Phone No.	Emergency Telephone Number, 1-866-303-6943
SDS No.	0006

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

Classification

Acute toxicity (Oral) - Category 4; Acute toxicity (Dermal) - Category 4; Skin corrosion - Category 1A; Serious eye damage - Category 1

Label Elements



Signal Word:
Danger

Hazard Statement(s):

Harmful if swallowed or in contact with skin.
Causes severe skin burns and eye damage.

Precautionary Statement(s):

Prevention:

Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe dust/fume/gas/mist/vapours/spray.
Do not eat, drink or smoke when using this product.
Wash hands and skin thoroughly after handling.

General advice

Immediately call a POISON CENTRE or doctor.

Product Identifier: Matrix

Date of Preparation:

Page 01 of 10

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE or doctor.

Skin

IF ON SKIN: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
Call a POISON CENTRE or doctor if you feel unwell.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage:

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

Not applicable.

PRODUCT AT USE DILUTION

Classification Category of Use Dilution:

Acute toxicity (Oral) - Category 4. Skin corrosion - Category 2; Serious eye damage - Category 1.

Signal Word Danger

Hazard Statements

Harmful if swallowed
Causes eye damage
Causes skin irritation

Precautionary Statement(s):

Prevention:

Wash hands and skin thoroughly after handling.
Wear protective gloves / protective clothing / eye protection / face protection

General Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.
IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor / physician if you feel unwell.
IF SWALLOWED: Rinse mouth, sip a glass of water if able to do so. Do NOT induce vomiting. Call a POISON CENTRE or doctor/physician if you feel unwell.

Storage:

Store in accordance with local regulations.

Product Identifier: Matrix

Date of Preparation:

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Sodium Metasilicate	6834-92-0	20-40	
Nonylphenol Ethoxylate	9016-45-9	10-20	
Benzenesulphonic acid, C10-C13 alkyl derivs., sodium salts	68411-30-3	10-20	
Sodium hydroxide	1310-73-2	5-15	
Mixed Ethoxylated Alcohol	proprietary	5-10	
Dodecanamide, N-(2-hydroxyethyl)-	142-78-9	5-10	
Tetrasodium ethylenediaminetetraacetate	64-02-8	5-10	
2-Butoxyethanol	111-76-2	2-5	
Alcohols, c12-15, ethoxylated	68131-39-5	1-5	
sodium carboxymethylcellulose	9004-32-4	1-5	
Stilbene derivative	16470-24-9	0-0.5	

Notes

PRODUCT AT USE DILUTION

Contains ingredients listed above at weight % less than 0.5%

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If symptoms persist, call a physician.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek immediate medical attention/advice.

Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

PRODUCT AT USE DILUTION

EYE CONTACT:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention / advice.

SKIN CONTACT:

Wash off immediately with plenty of water for at least 15 minutes. Use mild soap if available. Get medical attention if irritation develops and persists.

INHALATION:

Get medical attention if symptoms occur.

INGESTION:

Product Identifier: Matrix

Date of Preparation:

Page 03 of 10

Rinse mouth. Get medical attention if symptoms occur.
Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention / advice.

Most Important Symptoms and Effects, Acute and Delayed

None known.

Immediate Medical Attention and Special Treatment

Special Instructions

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Not sensitive to static discharge.

Not sensitive to mechanical impact.

Special Protective Equipment and Precautions for Fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Ensure adequate ventilation. Use personal protective equipment. If spilled, take caution, as material can cause surfaces to become slippery.

Environmental Precautions

Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product.

Collect and reuse if possible. Following product recovery, flush area with water.

Other Information

PRODUCT AT USE DILUTION

Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Ensure adequate ventilation. Use personal protective equipment. Solution can cause surfaces to become slippery

Environmental precautions:

Avoid release to the environment. Rinse or mop up use solutions. Solutions may be flushed down sanitary sewer drains.

Methods and materials for containment and cleaning up:

Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product Identifier: Matrix

Date of Preparation:

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Do not eat, drink or smoke when using this product, or its use solutions.

Conditions for Safe Storage

Keep container tightly closed. Keep container closed when not in use. Keep out of the reach of children.

PRODUCT AT USE DILUTION

Precautions for Safe Handling:

Avoid contact with skin and eyes. Wash hands thoroughly after handling.

Conditions for Safe Storage:

Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butoxyethanol	20 ppm		50 ppm			
Sodium hydroxide	2 mg/m3		2 mg/m3	2 mg/m3		

Appropriate Engineering Controls

Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Rubber or vinyl gloves recommended when handling solid chemicals or their use solutions.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Yellow.
Odour	Butyl Ether
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	60 °C (140 °F) (melting); Not applicable (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not available
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable

Product Identifier: Matrix

Date of Preparation:

Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not available
Solubility	Soluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not applicable
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not applicable (dynamic)
Other Information	
Physical State	Solid
Use Dilution	Use dilution pH is 10.5 - 12.0 pH
VOC Content	VOC Content (%) = 2-5%

SECTION 10. STABILITY AND REACTIVITY

Reactivity

None known.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Eye contact; skin contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
2-Butoxyethanol	2.21 mg/L (rat) (4-hour exposure)	470 mg/kg (rat)	400 mg/kg (rabbit)
Tetrasodium ethylenediaminetetraacetate	Not available	1780-1800 mg/kg (rat)	Not available
Sodium hydroxide	Not available	Not available	1350 mg/kg (rat)
Benzenesulphonic acid, C10-C13 alkyl derivs., sodium salts	Not available	1020 mg/kg (rat)	Not available
Nonylphenol Ethoxylate	Not available	3310 mg/kg (rat)	2000 mg/kg (rabbit)
Sodium Metasilicate	Not available	1280 mg/kg (rat)	Not available
Alcohols, c12-15, ethoxylated	Not available	1830 mg/kg (rat)	2480 mg/kg (rabbit)

LC50: No information was located.

LD50 (oral): No information was located.

Product Identifier: Matrix

Date of Preparation:

LD50 (dermal): No information was located.

Skin Corrosion/Irritation

Human experience shows skin corrosion.

Serious Eye Damage/Irritation

Human experience and animal tests show serious eye damage.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause irritation of respiratory tract.

Ingestion

Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information available.

Respiratory and/or Skin Sensitization

No information available.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Group 3 – Not classifiable as to its carcinogenicity to humans. A3 – Confirmed animal carcinogen.

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

No information was located.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

Not mutagenic.

Interactive Effects

No information was located.

Other Information

PRODUCT AT USE DILUTION

Inhalation: May cause irritation of respiratory tract.

Eye Contact: Causes serious eye damage

Skin Contact: Causes skin irritation.

Ingestion: Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful, with long lasting effects to aquatic life, based on acute toxicity tests.

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae

Product Identifier: Matrix

Date of Preparation:

2-Butoxyethanol	1490 mg/L (Lepomis macrochirus (bluegill); 96-hour)	Not available	Not available	Not available
Tetrasodium ethylenediaminetetraacetate	490 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	610 mg/L (Daphnia magna (water flea); 24-hour)	Not available	2.77 mg/L (Desmodesmus subspicatus (algae); 72-hour)
Sodium hydroxide	45.4 mg/L (Lepomis macrochirus (bluegill); static)	Not available	Not available	Not available
Benzenesulphonic acid, C10-C13 alkyl derivs., sodium salts	1.67 mg/L (Lepomis macrochirus (bluegill); 96-hour)	2.9 mg/L (Daphnia magna (water flea); 48-hour)	Not available	29 mg/L (Pseudokirchneriella subcapitata (algae); 96-hour)
Nonylphenol Ethoxylate	1.8 mg/L (Lepomis macrochirus (bluegill); 96-hour)	12.2 mg/L (Daphnia magna (water flea); 48-hour)	Not available	Not available
Sodium Metasilicate	2320 mg/L (96-hour; static)	247 mg/L (Daphnia magna (water flea); 48-hour)	Not available	Not available

Persistence and Degradability

No information available.

Bioaccumulative Potential

No information available.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT	UN3262	Corrosive Solid, basic, inorganic, n.o.s. (Sodium hydroxide)	8	II

Environmental Hazards Not applicable

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Emergency Response Guide No. 154

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Product Identifier: Matrix

Date of Preparation:

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

SARA Title III - Section 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	2-5	1.0.

SARA Title III - Section 311/312:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. EPA Label Information

EPA Registration Number : Not applicable.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CWA - Hazardous Substances :. (Sodium hydroxide)

CWA - Hazardous Substances :. (2-Butoxyethanol)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Hazardous Substances RQs:

Sodium Hydroxide 1000 lb final RQ/ RQ 454 kg final RQ

2-Butoxyethanol 5000 lb final RQ/ RQ 2270 kg final RQ

U.S. State Right-to-Know Regulations

Massachusetts Right To Know:. (Sodium hydroxide)

New Jersey Right To Know:. (Sodium hydroxide)

Pennsylvania Right To Know:. (Sodium hydroxide)

Illinois Right to Know:. (Sodium hydroxide)

Rhode Island:. (Sodium hydroxide)

New Jersey Right To Know:. (2-Butoxyethanol)

Massachusetts Right To Know:. (2-Butoxyethanol)

Pennsylvania Right To Know:. (2-Butoxyethanol)

Illinois Right to Know:. (2-Butoxyethanol)

Rhode Island:. (2-Butoxyethanol)

SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 3	Flammability - 0	Instability - 0
SDS Prepared By	Sunburst Chemicals.		

Product Identifier: Matrix

Date of Preparation:

Phone No. 952-884-3144

Date of Last Revision March 04, 2026

Additional Information -----
PRODUCT AT USE DILUTION

NFPA Rating Health – 2 Flammability - 0 Instability – 0

Product Identifier: Matrix

Date of Preparation:

Page 10 of 10